Index of Authors—Volume 48

***Indicates a book reviewer**

Abrams, D. B. 401
Albeck, J. H. 390*
Allen, R. P. 119
Alterman, A. I. 425
Amaro, H. 220
Anderson, D. L. 277
Anglin, M. D. 281*
Atkinson, R. M. 47

Babor, T. F. 410
Barnes, G. M. 329
Beckman, L. J. 220
Belille, C. A. 574
Benedikt, R. 287
Berger, D. E. 243
Berglund, M. 95
Bingham, S. F. 136
Binkin, N. J. 147
Blose, J. O. 52, 124, 371
Blume, S. B. 511*
Bradstock, M. K. 147
Brandsma, J. M. 597*
Breed, W. 33
Brigham, T. A. 325
Brown, K. 586
Brown, S. A. 272, 483
Burd, L. 388
Butler, A. M. 502
Butler, C. P. 502

Cadoret, R. J. 1
Caetano, R. 153
Carey, K. B. 236
Carson, M. F. 176
Casswell, S. 109
Caudill, B. D. 401
Chipperfield, B. 430
Chomak, S. 194
Christiansen, B. A. 483, 558
Clair, D. 345
Clark, W. B. 515
Cole-Harding, S. 380
Coles, C. D. 304
Colligan, R. C. 202
Collins, R. L. 194
Connors, G. J. 461
Cosper, R. L. 252
Cristofaro, P. 287
Cruz, J. 33
Cushman, P., Jr. 595*
Cutter, C. G. 29
Cutter, H. S. G. 29, 461

Davis, L. J., Jr. 202
Day, C. L. 502
Dewey, M. E. 39
Downs, W. R. 167

Edholm, M. 523
Elal-Lawrence, G. 39
Ellingboe, J. 287
Ervin, F. R. 260, 535

Fahey, P. P. 104
Falek, A. 304
Farnworth, M. 14
Fischer, S. E. 179*
Fisher-Nelson, H. 229
Fitzgerald, J. L. 207
Forman, M. R. 147
Fortgang, J. 390*
Funderburk, F. R. 119

Gavaler, J. S. 295
Genest, M. 345
Gentry, E. M. 147
Gerstley, L. J. 425
Gibberd, R. W. 104
Gilbert, F. S. 569
Goldman, M. S. 483
Goldstein, G. 425
Goodwin, D. W. 356
Gordis, E. 579
Gorelick, D. A. 390*
Gorenstein, E. E. 310
Grant, B. F. 551

Hale, R. E. 456
Handel, G. 325
Hannon, R. 502
Harford, T. C. 265, 551
Harrison, P. A. 574
Haviland, M. G. 277
Heien, D. 450
Hernandez, A. C. R. 269
Hesselbrock, V. M. 187
Hilton, M. E. 515
Hingson, R. 212
Hoffmann, N. G. 591
Hogelin, G. C. 147
Holder, H. D. 52, 124, 371
Hollinger, R. 14
Howland, J. 212
Hyer, L. A. 176

Ingram, R. 14

Khan, S. A. 502
Kleinman, S. 281*
Knull, H. 388
Kofoed, L. L. 47
Kohn, P. M. 161
Kotlińska, J. 507
Kremer, L. K. 243

Lancaster, J. S. 304
Langwiński, R. 507
Leigh, B. C. 467
Levy, M. F. 22
Lindberg, U. 523
Liskow, B. I. 136, 356
Luxenberg, M. G. 591

McCrady, B. S. 229
MacKenzie, A. 119
MacMurray, J. P. 277
Määttänen, K. 443
Maisto, S. A. 236
Malec, D. 507
Marks, J. S. 147
Marlatt, G. A. 410
Martin, C. 109
Mauss, A. L. 390*
Maxwell, P. J. 569
Mays, V. M. 220
Meier, S. E. 325
Mello, N. K. 287
Mendelson, J. H. 287
Meredith, L. A. 502
Miller, N. S. 136
Mischke, H. D. 492
Morse, R. M. 202
Moss-Wells, S. 304
Mozey, J. 591
Mulford, H. A. 207
Munson, E. 272

Nagoshi, C. T. 437
Nessman, D. G. 277
Neumann, B. 252
Newman, C. W. 9
Ninonuevo, F. 591
Nixon, D. H. 176
Noel, N. E. 229
Nordström, G. 95
Noyes, R. 586

O'Farrell, T. J. 461
Offord, K. P. 202
O'Gorman, T. W. 1, 586
Okraku, I. O. 252

Palmieri, S. L. 287
Parker, D. A. 265, 443
Peek, C. W. 14
Peele, S. 61, 84
Penick, E. C. 136
Petty, F. 586
Pihl, R. O. 260, 535
Plant, M. L. 595*
Plotnick, S. 260

Pompelli, G. 450
Powell, B. J. 136

Quitoriano, L. A. 502

Rabow, J. 269
Read, M. R. 136
Redman, S. 104
Reichman, W. R. 22
Room, R. 78
Rosenblum, E. 295
Rosett, H. L. 90*
Ross, H. L. 476

Samson, J. 596*
Sanson-Fisher, R. W. 104
Schiff, I. 287
Schuckit, M. A. 337
528
Sellers, E. M. 390*
Shaffer, H. J. 179*
Shea, T. E. 388
Skupny, A. 287
Slade, P. D. 39
Smart, R. G. 161
Smigan, L. 523
Smith, I. E. 304
Snortum, J. R. 243
Spitzer, J. B. 9
Stefan, R. L. 119
Stephens, R. S. 410
Stout, R. L. 229
Sullivan, E. J. 456
563
Sullivan-Trainor, M. 179*
Sweeney, S. 528

Tamkin, A. S. 176
Tarter, R. E. 425
Teahan, J. E. 558
Thompson, D. L. 461
Tolson, R. L. 47
Toth, R. L. 47
Troughton, E. 1
Trowbridge, F. L. 147
Turner, J. A. 47

Vannicelli, M. 390*
Venneri, R. L. 492
Vogel-Sprott, M. 430
von Knorring, A.-L. 523
von Knorring, L. 523

Wallack, L. 33
Weiner, L. 90*
Welte, J. W. 329
White, H. R. 541
Wiggins, B. B. 319
Wiggins, J. A. 319
Wilkinson, C. 104
Wilson, G. T. 401
Wilson, J. R. 380
437
Workman-Daniels, K. L. 187

Yates, W. R. 586
Young, D. W. 22
Young, S. N. 260
535

Zacchia, C. 535
Zisook, S. 337

Index of Subjects—Volume 48

***Indicates a book review**

Use of the Index

This index is designed to reveal subjects and their interrelations. Thus, an entry, "Anxiety, youth, problem drinking," indicates an item dealing with the interrelationship of the three possibly independent topics, or of any two with the third. And an entry, "Drinking frequency, quantity, laws/liquor control," may reveal how drinking frequency, quantity is affected by laws/liquor control or how laws/liquor control affect drinking frequency, quantity. Items are extensively cross-indexed. For example, references to "American Indians, drinker categories, predictors . . ." would also appear at "Drinker categories . . ." and at "Predictors . . ."

Terms

Generally, indexing is as specific as possible without posting to broader terms. Many relationships to certain very frequent terms are not indexed under those terms, but appear as main entries throughout the index; scope notes at those terms (e.g., at "Alcoholism," "Drinkers, drinking," guide to the index terms used. Preference has been given to direct rather than to inverted entries, e.g., "Prevalence of problem drinking" rather than "Problem drinking/prevalence." Information not found one way should be sought the other way—or under all possible synonyms. Certain index entries with multiple subdivisions are dealt with by successive main entries, such as "Accidents/fatal," "Accidents/traffic." Similarly, see "Acetate/blood," "Acetate/endogenous," etc. rather than "Blood acetate," "Endogenous acetate," etc.

Abstainers
  changing trends
    surveys, 518–21
  expectancies/alcohol response
    social behavior, 467–75
  follow-up, 39–46
Abstinence
  social drinkers
    cognitive functions, 236–42, 502–6
  students/college, 320–4
    cognitive functions, 502–6
Abstinence by alcoholics (*see also* Controlled drinking/alcoholics)
  attitudes/alcoholism treatment, 155–8
  follow-up, 95–103
Abstinence duration
  auditory dysfunction, 9–13
Abstracting abilities (*see also* Cognitive functions; Cognitive impairment)
  alcoholics, 189–92
    antisocial personality, 313–7
  children of alcoholics, 189–92
  drinking frequency, quantity
    students/college, 502–6
Academic achievement
  chemical dependence
    nurses, 565–6
Academic expectations
  students/high-school
    drinking context, setting, 551–7
Accidents/fatal (*see also* Accidents/traffic)
  drinking-driving
    deterrence campaign, 481–2
  falls
    drinking, 211–9
Accidents/traffic (*see also* Accidents/fatal)
  alcoholics
    sociopsychological characteristics, 586–90
  alcoholism severity, 587–90
    risk, 589–90
  availability/alcoholic beverages, 52–60
Acculturation stress (*see also* Culture)
  prevalence of drinking
    students/high-school, 329–30, 333–5
Addiction Severity Index, 426
Addictions (*see also* Alcohol dependence; Alcoholism; Chemical dependence; Drug abuse; Substance abuse)
  consumption/alcohol, alcoholic beverages
    control policies, 61–77, 78–83, 84–9
  drug use
    control policies, 61–77, 78–83, 84–9
Adjustment
  children of alcoholics, 345–55
  students/high-school
    drinking context, setting, 551–7
Adolescent Alcohol Involvement Scale
  drinking
    peer drinking, 169–74
Adolescents, *see* Children of alcoholics; Students/college; Students/high-school; Youth
Adoptees
  genetics
    drinking-related problems, 1–8
Adult children of alcoholics, 80, 81
Advertising exposure (*see also* Mass media; Television programming)
  consumption/alcohol, alcoholic beverages, 124–30
  drinking frequency, quantity, 161–6
Aetna Federal Employees Health Benefits Plan, 584
Affective disorders (*see also* Aggression; Anxiety; Depression; Guilt; Impulsivity; Psychiatric disorders; Psychopathology; Sensation seeking)
  alcoholics
    affective disorders/familial, 339–43
  family of alcoholics
    alcoholism classification, 337–44
Aftercare
  alcoholism treatment outcome, 41–5
  attendance
    follow-up, 569–73
Age (*see also* Age of alcoholics)
  alcohol metabolism, 382–6
  attitudes/alcoholism, 155–6
  attitudes/alcoholism treatment, 155–6, 158
  chemical dependence
    nurses, 565
    women, 575
  consumption/alcohol, alcoholic beverages
    sex-role orientation, 197–200
  drinker categories, 114–7

Age (*cont.*)
drinker categories (*cont.*)
changing trends, 517-21
drinking-driving, 148-50
drinking establishment patrons, 255-8
identification of alcoholics
scales, tests, inventories, 203-5
intoxication/alcohol
sex-role orientation, 443-9
legal beverage purchase
consumption/alcohol, alcoholic beverages, 124-30
drinking-related problems, 124-35
prevention of problem drinking, 124-35
problem drinking
youth, 546-9
youth drinking
peer drinking, 170-1
Age of alcoholics
accidents/traffic, 587-9
alcoholism onset
familial alcoholism, 136-8
alcoholism typology, 523-4
cognitive impairment
antisocial personality, 313-7
conjoint therapy
dropouts, 231-3
depression, 176-8
familial alcoholism, 138
cognitive functions, 426-8
initial drinking problems
drinking by alcoholics, 97-102
women
age, 575
ethnicity, 222-7
Aged
alcoholism treatment, 47-51
Aggression (*see also* Violence)
alcohol, 281-2*
alcoholism severity
accidents/traffic, 589
alcoholism typology, 525-9
Al-Anon
children of alcoholics, 29-32
Al-Anon attendance
children of alcoholics, 29-32
Alcohol
Note: *Except the immediately following entries, most entries related to* Alcohol *appear as main entries throughout the index, e.g.,* Accidents, drinking frequency, quantity; Disinhibition, alcohol. *The two types of subentries* (alcohol, alcoholization) *are used to distinguish between acute and chronic administration to animals.*
Alcohol absorption
sex differences, 380-7
Alcohol and Alcoholism, 68
Alcohol Behavioral Marital Therapy, 231
Alcohol Beliefs Scale, 462
Alcohol dependence
consumption/alcohol, alcoholic beverages
control policies, 61-77, 78-83, 84-9
moderate drinking by alcoholics, 97-102
Alcohol dosage
estradiol/blood
oophorectomy, 295-303
Alcohol dosage (*cont.*)
expectancies/alcohol response
alcoholics, 461-6
problem drinkers, 461-6
social drinkers, 461-6
self-disclosure, 401-9
sex differences, 406-8
Alcohol, Drug Abuse and Mental Health Administration, 511*
Alcohol Expectancy Questionnaire, 273
psychometric properties, 483-91
reliability, 483-91
Alcohol Expectancy Questionnaire-Adolescent Form, 559
Alcohol metabolism
age, 382-6
repeatability, 437-42
sex differences, 380-7
Alcohol problems
business, industry, 391-2*
prevention, 90*
Alcohol selection
tryptophan, 260-4
Alcohol withdrawal, 73, 80-1, 85, 390*
drug therapies
review, 357-9
Alcoholic beverage preference
drinker categories
changing trends, 518, 521
students/college, 320
self-concept
expectancies/alcohol response, 243-51
Alcoholics
Note: *Most entries related to* Alcoholics *appear as main entries throughout the index, e.g.,* Criminals, alcoholics; Hospitalization history, alcoholics. *See also* Alcoholism; Problem drinkers.
Alcoholics Anonymous (*see also* Alcoholics Anonymous attendance), 39, 41, 42, 43, 81, 121, 140, 581, 583
alcoholism treatment
criminals, 392-3*
attitudes/alcoholism treatment, 157, 159
Alcoholics Anonymous attendance, 232
arrestees/drinking-driving, 593-4
children of alcoholics, 530
predictors
alcoholism treatment outcome, 41-3
women alcoholics
ethnicity, 223-4
Alcoholism
Note: *Except the immediately following entries, most entries related to* Alcoholism *appear as main entries throughout the index, e.g.,* Death rates, alcoholism.
Alcoholism classification (*see also* Alcoholism typology)
family of alcoholics
affective disorders, 337-44
Alcoholism concepts, 66-71, 78-83, 84-9, 282*
attitudes, 153-60
demographic variables, 155-6, 158-60
dichotomous response model, 450-5
Alcoholism definitions, 282*
Alcoholism models, 66-71, 78-83, 84-9
Alcoholism predisposition
brain cortex/prefrontal dysfunction, 311
Alcoholism scales (*see also* Alcoholism severity; Alcoholism symptomatology)
moderate drinking by alcoholics, 97-102

Alcoholism severity
accidents/traffic, 587-90
risk, 589-90
arrestees/drinking-driving, 593
children of alcoholics, 136-46
familial alcoholism, 136-46
women
ethnicity, 224-7
Alcoholism symptomatology
familial alcoholism, 138
Alcoholism treatment, 282*, 390-1*, 391-2*, 511*, 597*
aged, 47-51
cost containment, 579-85
criminals, 392-3*
culture, 597*
healing methods
American Indians, 511*
outpatient
conjoint, 229-35
research, 584-5
women, 595*
Alcoholism treatment compliance
arrestees/drinking-driving, 593
Alcoholism treatment contact
dropouts, 232-4
Alcoholism treatment entry
women alcoholics
ethnicity, 220-7
Alcoholism treatment evaluation (*see also* Follow-up), 582-4
Alcoholism treatment goals, 511*
treatment variables, 39-46
Alcoholism treatment history
women
ethnicity, 223-7
Alcoholism treatment outcome (*see also* Follow-up)
predictors, 39-46
Alcoholism treatment participation
depression, 277-9
Alcoholism treatment results
aged, 49-51
Alcoholism typology (*see also* Alcoholism classification), 390*
aggression, 525-9
crime, 524, 526-7
familial alcoholism, 525, 527
familial depression, 525, 527
personality of alcoholics, 523-7
Alcoholization of animals
oophorectomy
estradiol/blood, 295-303
uterus weight, 295-303
Alienation
intoxication/alcohol
sex-role orientation, 443-9
American Indians
alcoholism treatment
healing methods, 511*
nonbeverage alcohol use, 388-9
prevalence of drinking
students/high-school, 329-36
American Nurses' Association, 457
Amethystic agents therapy
intoxication/alcohol
review, 356-7
Antidepressant therapy
alcoholism, 359-60
Antidepressants
psychopharmacology, 393-4*
Antinociceptive action
cross-tolerance
alcohol-morphine, 507-10
Antisocial behavior
alcoholics
affective disorders/familial, 339-43
alcoholism typology, 527
Antisocial personality (*see also* Antisocial behavior; Psychopathology)
alcoholics
accidents/traffic, 588-90
cognitive functions, 310-8
environment, 1-8
genetics, 1-8
Anxiety (*see also* Depression; Stress)
alcoholism typology, 525-7
drinking, 394*
expectancy/alcohol response
self-disclosure, 401-2, 407-8
students/college, 272-6
Areas of Change Questionnaire, 231
Arrestees/drinking-driving (*see also* Arrests/drinking-driving)
substance abuse
sociodemographic characteristics, 591-4
Arrests (*see also* Arrests/drinking-driving; Arrests/drinking-related; Arrests/drunkenness)
arrestees/drinking-driving
alcoholics, 592, 594
chemical dependence
women, 576-7
Arrests/drinking-driving (*see also* Arrestees/drinking-driving; Arrests/drinking-related; Arrests/drunkenness)
alcoholics
accidents/traffic, 587-8
deterrence campaign
Great Britain, 476-82
Arrests/drinking-related (*see also* Arrestees/drinking-driving; Arrests/drinking-driving; Arrests/drunkenness)
alcoholics
affective disorders/familial, 339-43
cognitive impairment, 315-7
chemical dependence
women, 576-7
familial alcoholism, 138
Arrests/drunkenness (*see also* Arrestees/drinking-driving; Arrests/drinking-driving; Arrests/drinking-related)
alcoholics
accidents/traffic, 587-8
Assortative mating
familial alcoholism, 143-4
Atenolol therapy
alcohol withdrawal, 358
Attention (*see also* Cognitive functions)
alcohol
5-hydroxytryptamine, 537-9
alcoholics, 189-92
children of alcoholics, 189-92
Attitudes (*see also* Attitudes/alcohol, drinking; Attitudes/alcoholism; Attitudes/alcoholism treatment)
addictions
control policies, 61-77, 78-83, 84-9
substance abuse
culture, 595-6*

Attitudes (*cont.*)
supervisory personnel
referral/alcoholism treatment, 22-8
Attitudes/alcohol, drinking
drinker categories, 111-7
parents
youth/drinking, 554-6, 560-2
youth/drinking
peer drinking, 172-4
Attitudes/alcoholism
cross-cultural studies, 511*
demographic variables, 153-60
nurses, 456-60
sex differences, 148-50
Attitudes/alcoholism treatment, 156-60
abstinence, 155-8
cross-cultural studies, 511*
demographic variables, 155-6, 158
nurses, 456-60
sex differences, 155-6, 158
Attitudes toward Alcohol Scale
youth/drinking
peer drinking, 169-74
Auditory dysfunction
alcoholics
abstinence duration, 9-13
Availability/alcoholic beverages (*see also* Prices/alcoholic beverages; Purchases/alcoholic beverages; Sales/alcoholic beverages)
accidents/traffic, 52-60
alcohol dependence
culture, 61-77, 78-83, 84-9
drinking-related problems, 124-35
laws/liquor control
drinking patterns, 371-9
prevention of problem drinking, 124-35
Aversion therapy, alcoholism, 363-6

Bales's theory of alcoholism
dichotomous response model, 450-5
Bead stringing (*see also* Psychomotor functions)
social drinkers
familial problem drinking, 430-6
Beck Depression Inventory
alcoholics, 176-8, 278
Behavior therapy, alcoholism
controlled drinking by alcoholics, 40-3
criminals, 392-3*
Behavioral Risk Factor Survey, 147
Bem Sex-Role Inventory, 444
Benton Visual Retention Test, 188-90
Benzodiazepine therapy
alcohol withdrawal, 357-8
Bias (*see also* Interview bias)
expectancies/alcohol response
drinker categories, 467-75
sex differences, 467-75
Binge drinking (*see also* Loss of control)
alcoholics, 587-8
arrestees/drinking-driving, 587
drinking-driving, 149
familial drinking, 138
Birth defects
neonates
maternal drinking, 180-1*

Blackouts
alcoholics, 462
accidents/traffic, 587-8
arrestees/drinking-driving, 587
familial alcoholism, 138
problem drinkers, 462
Blacks (*see also* Race)
prevalence of drinking
students/high-school, 329-36
risk/liver cirrhosis death
dichotomous response relations, 450-5
women alcoholics
demographic variables, 222-7
sociopsychological variables, 220-8
Block Design, 426-7
social drinkers
abstinence, 237-41
Blood alcohol level (*see also* Breath alcohol determination)
alcohol metabolism
repeatability, 437-42
sex differences, 380-7
consumption/alcohol, alcoholic beverages
self-reports, 325-8
falls
review, 216-8
psychomotor functions
familial problem drinking, 432-6
Body size
alcohol metabolism, 382-6
Body sway
alcohol
5-hydroxytryptamine, 537-9
Body weight
consumption/alcohol, alcoholic beverages
sex-role orientation, 197-200
Brain (*see also* Brain cortex; Brain dysfunction)
alcohol, 90*
Brain cortex/prefrontal dysfunction
alcoholism predisposition, 311
Brain dysfunction (*see also* Cognitive impairment)
alcoholics
cognitive functions, 187-93
children of alcoholics
cognitive functions, 187-93
Brain endorphins
alcohol, 509
Brainstem Auditory Evoked Potentials
alcoholics, 9-13
Breath alcohol determination
drinking-driving
deterrence campaign, 476-82
British Road Safety Act, 480
Bromocriptine therapy
alcoholism, 362
Business, industry
alcohol problems, 391-2*
occupational alcoholism programs
effectiveness, 22-8

Cage Questionnaire
drinking drivers
identification of problem drinkers, 492-501
Calcium carbimide therapy
alcoholism, 365-6

California
attitudes/alcoholism, 153–60
attitudes/alcoholism treatment, 153–60
prevention of problem drinking
availability/alcoholic beverages, 124–35
education/alcohol, alcoholism, 124–35
prices/alcoholic beverages, 124–35
California Psychological Inventory, 313
Canada
drinking establishments patrons
sociodemographic variables, 252–9
Carbohydrates
neurons
alcohol, 90
Category Test
social drinkers
abstinence, 237–41
Chemical dependence (*see also* Alcohol dependence; Alcoholism; Drug abuse; Problem drinking; Substance abuse)
nurses
sex differences, 565–7
sociodemographic characteristics, 563–8
women
sociodemographic characteristics, 574–8
Children of alcoholics (*see also* Children of problem drinkers), 391–2*
adjustment, 345–55
Al-Anon, 29–32
Alcoholics Anonymous attendance, 530
alcoholism severity, 136–46
cognitive functions
brain dysfunction, 187–93
coping behavior, 349–59
drinking-related problems, 528–34
drug use, 528–34
learning, 90*
medicolegal problems, 136–46
psychiatric disorders, 136–46
self-esteem, 350–4
Children of problem drinkers (*see also* Children of alcoholics
problem drinking, 265–8
Clonidine therapy
alcohol withdrawal, 358
Cocaine use
arrestees/drinking-driving, 593
chemical dependency
women, 575–7
Cognitive functions (*see also* Abstracting abilities; Attention; Brain dysfunction; Cognitive impairment; Cognitive training; Intelligence; Learning; Memory; Visuomotor skills)
alcoholics
familial alcoholism, 425–9
children of alcoholics, 187–93
drinking frequency, quantity
sex differences, 502–6
students/college, 502–6
social drinking
abstinence, 236–42, 502–6
women, 236–42
Cognitive impairment (*see also* Brain dysfunction)
alcoholics
antisocial personality, 310–8
Cognitive impairment (*cont.*)
alcoholics (*cont.*)
arrests/drinking-related, 138
drinking
cross-cultural studies, 511*
Cognitive training
alcoholics
criminals, 392–3*
Colorado Alcohol Research on Twins and Adoptees, 381, 437
Community size
drinking context, setting
students/high-school, 551–7
Conformity
drinking context, setting
students/high-school, 551–7
Conjoint therapy/alcoholism
dropouts, 229–35
Consumption/alcohol, alcoholic beverages (*see also* Drinker categories; Drinking frequency, quantity)
advertising exposure, 124–30
age
legal beverage purchase, 124–30
alcohol dependence
control policies, 61–77, 78–83, 84–9
cultural norms, 124–30
demographic variables, 124–30
drinking context, setting
students/high-school, 551–7
expectancies/alcohol response, 483–91
prices/alcoholic beverages, 124–30
self-reports
sales/alcoholic beverages, 207–11
sex-role orientation
students/college, 194–201
students/high-school
minority groups, 329–36
Contraceptive use
alcohol metabolism, 382–6
Control policies
consumption/alcohol, alcoholic beverages
alcohol dependence, 61–77, 78–83, 84–9
drug use
drug dependence, 61–77, 78–83, 84–9
history, 62–6
Controlled drinking/alcoholics, 282*, 511*
attitudes/alcoholism treatment, 155–8
follow-up, 95–103
drinking behavior, 39–46
treatment variables, 39–46
Coping behavior
children of alcoholics, 349–54
substance use, 596–7*
Coping use
alcohol
students/high-school, 551–7
youth, 541–50
Cost containment
health care
alcoholism treatment, 579-85
Costs
alcoholism, 581
problem drinking, 581
Court referral
arrestees/drinking-driving
sociodemographic characteristics, 591–4

Craving/alcohol, 597*
Crime (*see also* Arrestees/drinking-driving; Arrests; Arrests/drinking-driving; Arrests/drinking-related; Arrests/drunkenness; Rape; Suicide attempts)
  alcohol, 392-3*
  alcoholism typology, 524, 526-7
Criminals
  alcoholics
    treatment, 392-3*
Cross-tolerance
  alcohol-morphine, 507-10
Cultural norms
  consumption/alcohol, alcoholic beverages, 124-30
Culture (*see also* Acculturation stress)
  alcoholism treatment, 597*
  availability/alcoholic beverages
    alcohol dependence, 66-71, 78-83, 84-9
    drug dependence, 61-77, 78-83, 84-9
  drinking, 511*
    youth, 558-62
  substance abuse, 595-6*
Customary Drinking Record, 273

Deaths/liver cirrhosis
  sociodemographic variables
    dichotomous response relations, 450-5
Definitions of Alcohol Scale, 489
Demographic characteristics, *see* Age; Age/alcoholics; Educational status; Educational status/alcoholics; Ethnicity; Geographical differences; Income; Income of alcoholics; Marital status; Marital status/alcoholics; Race; Residence; Residence/alcoholics; Socioeconomic status; Socioeconomic status/alcoholics; Urban-rural differences
Denatured alcohol
  consumption
    American Indians, 388-9
Dependence
  intoxication/alcohol
    sex-role orientation, 448
Depression (*see also* Affective disorders; Anxiety)
  alcoholics
    affective disorders/familial, 337-43
    alcoholism treatment, 277-9
    demographic variables, 176-8
  alcoholism, 393-4*
  chemical dependency
    nurses, 565-7
    women, 576-7
  children of alcoholics, 350-4, 531
  conjoint therapy/alcoholism
    dropouts, 231-4
  familial alcoholism, 139, 531-2
  psychobiology, 393-4*
  scales
    validation, 176-8
  therapy 359-60
Depression-Proneness Rating Scale, 345
Diagnosis (*see also* Diagnosis of substance abuse; Identification of alcoholics), 282*, 390-1*
Diagnosis of substance abuse, 595-6*
Diary method
  self-reports
    drinker categories, 111-7
    validity, 104-8
Digit Symbol Test
  drinking frequency, quantity
    students/college, 502-6
  social drinkers
    abstinence, 237-41, 502-6
Dimensions of Social Support Scale, 348
Disease Concept of Alcoholism, The, 153
Disinhibition
  alcohol
    sex-role orientation, 447-9
Distilled spirits availability
  laws/liquor control
    drinking patterns, 371-9
Disulfiram implant therapy
  alcoholism, 363
Disulfiram therapy
  alcoholism, 363-6
Divorce
  deaths/liver cirrhosis
    dichotomous response relations, 450-5
  women alcoholics
    ethnicity, 222-7
Drinker categories (*see also* Drinking frequency, quantity; Drinking patterns)
  attitudes/alcohol, drinking, 111-7
  expectancies/alcohol response
    self-concept, 243-51
    social behavior, 467-75
  motivation/drinking, 112-7, 321, 323
  psychological factors
    drinking, 109-18
  students/college
    drinking history, 320
    sex differences, 323-4
    sociocultural factors, 319-24
  United States
    changing trends, 515-22
Drinkers, drinking
  Note: *Except the immediately following entries, most entries related to* Drinkers *and* Drinking *appear as main entries throughout the index, e.g.,* Beer drinking; Motivation/drinking.
Drinking behavior
  controlled drinking/alcoholics
    follow-up, 39-46
  cross-cultural aspects, 511*
  expectancies/alcohol response, 483-91
  sociocultural factors, 67-71, 78-83, 84-9
Drinking behavior, posttreatment
  follow-up, 39-46, 97-102, 121-3
Drinking context, setting
  alcoholics
    alcoholism treatment outcome, 44-6
  drinker categories
    self-reports, 112-7
    students/college, 321-2
  drinking
    pregnancy, 306-9
  students/high school
    psychosocial factors, 551-7
    sex differences, 551-7
Drinking-driving (*see also* Accidents/traffic; Arrestees/drinking-driving; Arrests/drinking-driving; Laws/drinking-driving)
  alcoholism typology, 524, 526-7

Drinking-driving (*cont.*)
deterrence campaign
Great Britain, 476–82
familial alcoholism, 138
health-risk behavior, 146–52
intervention
students/college, 267–71
sex differences, 148–50
women alcoholics, 14–21
Drinking establishments
patrons
motivation/drinking, 255–8
sex differences, 256–8
sociodemographic variables, 252–9
Drinking frequency, quantity (*see also* Consumption/alcohol, alcoholic beverages; Drinker categories; Drinking patterns)
advertising exposure, 161–6
women, 161–6
alcoholics
affective disorders/familial, 339–43
alcoholism treatment outcome, 44–6
arrestees/drinking-driving, 591–3
cognitive impairment, 313–7
minority groups, 224–7
women, 224–7
alcoholism treatment outcome, 44–6
attitudes/alcoholism, 155–6
attitudes/alcoholism treatment, 155–6, 158
changing trends
surveys, 519–22
cognitive functions
sex differences, 502–6
social drinkers, 236–42, 503–6
students/college, 503–6
drinker categories
students/college, 320
drinking
pregnancy, 306–9
drinking context, setting
students/high-school, 551–7
self-reports, 100, 104–8
blood alcohol, 325–8
drinker categories, 112–7
sex differences, 326–8
youth
problem drinking, 541–50
Drinking Habits Questionnaire, 195
Drinking history
alcohol metabolism, 382–6
drinker categories
students/college, 320
Drinking history of alcoholics
accidents/traffic, 586–90
conjoint therapy/alcoholism
dropouts, 231–3
Drinking patterns (*see also* Binge drinking; Drinker categories; Drinking behavior; Drinking context, setting; Drinking frequency, quantity; Drinking style; Solitary drinking)
alcoholics
alcoholism treatment outcome, 42–6
arrestees/drinking-driving, 591–3
changing trends
surveys, 515–22
Drinking patterns (*cont.*)
laws/liquor control
availability/alcoholic beverages, 371–9
self-reports
drinker categories, 112–7
students/college
cognitive functions, 502–6
youth
psychosocial factors, 551–7
Drinking-related problems, 282*
alcoholics
accidents/traffic, 587–9
affective disorders/familial, 339–43
alcoholism typology, 523–7
conjoint therapy, 231–3
ethnicity, 223–7
moderate drinking, 97–102
women, 223–7
availability/alcoholic beverages, 124–35
drinker categories
changing trends, 519–21
students/college, 319–24
education/alcohol, alcoholism, 124–35
epidemiology, 511*
genetics
adoptees, 1–8
familial alcoholism, 528–34
prices/alcoholic beverages, 124–35
students/high-school
minority groups, 331–5
women, 595*
youth
cross-cultural study, 558–62
problem drinking, 541–50
Drinking style (*see also* Drinking patterns)
alcoholics
alcoholism treatment outcome, 44–6
ethnicity, 221
women, 221
self-reports
drinker categories, 112–7
youth
cross-cultural study, 558–62
Drinking Style Questionnaire, 557
Dropouts/alcoholism treatment (*see also* Alcoholism treatment outcome; Follow-up; Refusers/alcoholism treatment; Relapse; Relapsers)
conjoint, 229–35
follow-up, 569–73
Drug abuse (*see also* Alcohol dependence; Alcoholism; Chemical dependence; Substance abuse)
alcoholism, 390*
alcoholism typology, 524, 527
familial alcoholism, 139
nurses, 563–8
treatment, 390–1*
women alcoholics
age, 575–8
ethnicity, 222–7
youth, 179*
treatment, 179*
Drug dependence
drug use
control policies, 61–77, 78–83, 84–9

Drug therapies
alcoholics
criminals, 392-3*
review
alcohol withdrawal, 357-9
alcoholism, 359-66
intoxication/alcohol, 356-7
Drug use (*see also* Drug abuse; Substance abuse)
alcoholics
affective disorders/familial, 339-42
arrestees/drinking-driving, 593
chemical dependence
women, 575-7
coping behavior, 596-7*
drinking
pregnancy, 306-9
drug dependence
control policies, 61-77, 78-83, 84-9
familial alcoholism
genetics, 528-34
students/high-school
minority groups, 331-5
Drug use problems (*see also* Drinking-related problems)
familial alcoholism, 530-2
Drugs
pharmacology, 595-6*

Education/alcohol, alcoholism, 391-2*
drinker categories
students/college, 321
drinking-related problems, 124-35
prevention of problem drinking, 124-35
television programming, 33-7
Educational status (*see also* Educational status of alcoholics)
chemical dependence
women, 575
drinker categories, 114-7
changing trends, 517, 519-21
drinking-driving, 148-50
drinking establishment patrons, 255-8
intoxication/alcohol
sex-role orientation, 443-9
nurses
attitudes/alcoholism, 456-60
attitudes/alcoholism treatment, 456-60
chemical dependence, 565-7
Educational status of alcoholics
arrestees/drinking-driving, 592
depression, 177
women
age, 575
Electrolytes
alcoholism, 390*
Electroshock therapy
familial alcoholism, 140
Employment status (*see also* Employment status of alcoholics)
chemical dependence
women, 575
deaths/liver cirrhosis
dichotomous response relations, 450-5
Employment status of alcoholics
conjoint therapy
dropouts, 231-4
familial alcoholism, 138
Employment status of alcoholics (*cont.*)
follow-up, 120-3
women
age, 575
ethnicity, 222-7
England
drinking-driving
deterrence campaign, 476-82
Environmental factors
drinking context, setting
youth, 551-7
drinking-related problems
adoptees, 1-8
Epidemiology
drinking-related problems, 511*
substance abuse, 595-6*
Escape drinking
youth
longitudinal study, 541-50
Estradiol/blood
alcohol
naloxone, 287-94
alcoholization of animals
oophorectomy, 295-303
Ethnicity (*see also main entries of names at ethnic groups, e.g.*, Blacks *and see* Culture; Race)
alcoholism, 511*
deaths/liver cirrhosis
dichotomous response relations, 450-5
prevalence of drinking
students/high-school, 329-36
women alcoholics
age, 575
demographic variables, 222-7
sociopsychological factors, 220-8
Etiology of alcoholism, 282*
Etiology of substance abuse, 595-6*
Evoked potentials
alcoholics, 9-13
Expectancies/alcohol response (*see also* Motivation/drinking)
alcohol dosage
alcoholics, 461-6
problem drinkers, 461-6
self-disclosure, 401-9
sex differences, 406-8
social drinkers, 461-6
drinker categories
sex differences, 469-74
social behavior, 467-75
intoxication/alcohol
sex-role orientation, 448
personality
students/college, 272-6
psychomotor functions
social drinkers, 434-5
questionnaires
validity, 483-91
self-concept
alcoholic beverage preference, 243-51
substance use, 596-7*
youth
cross-cultural study, 558-62
sex differences, 558-62
Extraversion-introversion
expectancy/alcohol response
students/college, 272-6

Falls
alcoholics
review, 212-9
drinking
review, 212-9
Familial alcoholism (*see also* Familial depression; Familial drug use; Familial problem drinking)
alcoholics
alcoholism severity, 136-46
alcoholism typology, 525, 527
cognitive functions, 425-9
medicolegal problems, 136-46
psychiatric disorders, 136-46
alcoholism classification, 339-43
chemical dependence
nurses, 565-7
women, 576-7
children's adjustment, 345-55
cognitive functions
brain dysfunction, 187-93
drug abuse, 139
familial depression, 531-2
genetics
drinking-related problems, 528-34
drug use, 528-34
moderate drinking by alcoholics, 97-102
suicide attempts, 531-2
women alcoholics
ethnicity, 224
Familial depression
alcoholism typology, 525, 527
chemical dependence
nurses, 565-7
familial alcoholism, 531-2
Familial drug use
chemical dependence
women, 576-7
Familial problem drinking
social drinkers
psychomotor functions, 430-6
Family (*see also* Family environment)
drinker categories
students/college, 323
Family environment
children of alcoholics, 349-54
drinker categories
students/college, 322-3
Family Environment Scale, 346, 348
Family of alcoholics (*see also* Children of alcoholics; Familial alcoholism; Familial depression; Familial drug use; Familial problem drinking), 391-2*
affective disorders
alcoholism classification, 337-344
psychiatric disorders, 136-46
Family therapy
alcoholism, 597*
Fenfluramine therapy
alcoholism, 362
Fetal alcohol syndrome, 180-1*, 595-6*
prevention, 90*
Fetus
alcohol, 391-2*, 585*
somatomedins, 90*
Follow-up (*see also* Alcoholism treatment outcome; Dropouts; Refusers/alcoholism treatment; Relapse; Relapsers)
abstinence by alcoholics, 95-103
Follow-up (*cont.*)
aftercare attendance, 569-73
alcoholics, posttreatment
methodology, 119-23
alcoholism treatment variables, 39-46
controlled drinking/alcoholics, 95-103
drinking behavior, posttreatment, 39-46, 97-102, 121-3
French Americans
risk/liver cirrhosis death
dichotomous response relations, 450-5

Genetics
alcoholism, 282*
affective disorders, 337-8, 341-3
alcoholism typology, 523, 527
drinking-related problems
adoptees, 1-8
familial alcoholism, 528-34
Geographical differences
drinker categories
changing trends, 517-21
intoxication/alcohol
sex-role orientation, 443-9
Geriatric Depression Scale
alcoholics, 176-8
Gonadotropins
alcohol
hormones/gonadal, 290-2
Great Britain Road Traffic Act, 479
Great Britain Transport Act, 476
Group Health Association of America, 584
Group therapy, alcoholism
criminals, 392-3*
Guilt
alcoholism typology, 525-9

Halstead Category Test, 426-7
Halstead-Reitan Test Battery, 188-90
Hand steadiness (*see also* Psychomotor functions)
social drinkers
familial problem drinking, 430-6
tolerance/alcohol
repeatability, 440-1
Harrison Act, 63
Health beliefs
women alcoholics
ethnicity, 223-7
Health care
cost containment
alcoholism treatment, 579-85
Health Care Financing Administration-National Institute on Alcohol Abuse and Alcoholism, demonstration project, 584
Health Locus of Control Scale, 222
Health Perceptions and Beliefs Scale, 222
Health-risk behavior
drinking-driving, 146-52
Highway Safety Research Test, *see* Mortimer-Filkins Questionnaire
Hispanics
prevalence of drinking
students/high-school, 329-36
History
alcoholism, 391-2*

History (*cont.*)
drug use
control policies, 62–6
Homosexuality
chemical dependence
nurses, 565–7
familial alcoholism, 139
Homotaurine therapy
alcoholism, 362–3
Hormones (*see also* Hormones/gonadal; Luteinizing hormone/blood)
alcohol metabolism, 382–6
Hormones/gonadal
alcohol
naloxone, 287–94
Hospitalization history
alcoholics
arrestees/drinking-driving, 593
chemical dependence
nurses, 565–7
women, 575–6
Hostility, *see* Aggression
5-Hydroxytryptamine
intoxication/alcohol, 535–40
memory, 535–40
psychomotor functions, 537–9
5-Hydroxytryptamine/brain
alcohol, 90*, 537–9
Hyperkinesis
alcoholics
cognitive functions, 187–93
children of alcoholics
cognitive functions, 187–93
Hypnotherapy, alcoholism
criminals, 392–3*
Hypothalamus function
alcohol
naloxone, 290–2

Ibuprofen therapy
intoxication/alcohol, 357
Identification of alcoholics (*see also* Diagnosis of substance abuse; Identification of problem drinkers)
scales, tests, inventories
psychometric properties, 202–6
validation, 202–6
sex differences
occupational alcoholism programs, 22–8
Identification of problem drinkers
drinking drivers
questionnaires, 492–501
Impulse control
alcoholics, 310–11, 316–7
Impulsivity
alcoholism typology, 525–7
Income (*see also* Income of alcoholics)
attitudes/alcoholism, 155–6
attitudes/alcoholism treatment, 155–6, 158
consumption/alcohol, alcoholic beverages, 124–30
deaths/liver cirrhosis
dichotomous response relations, 450–5
drinker categories, 114–7
changing trends, 519–21
drinking establishment patrons, 255–8

Income (*cont.*)
intoxication/alcohol
sex-role orientation, 443–9
Income of alcoholics
familial alcoholism, 138
women
ethnicity, 222–7
Independence
drinking context, setting
students/high-school, 551–7
Infants/low birth weight
drinking
pregnancy, 306–9
Intelligence
alcoholics, 189–92
depression, 177
children of alcoholics, 189–92
Interpersonal adjustment of inebriates
follow-up, 120–3
Interview bias, 417–21
follow-up, 119–23
Interviews
response bias, 417–21
validity research, 410–24
Intoxication/alcohol
drug therapies
review, 356–7
5-hydroxytryptamine, 535–40
memory, 535–40
psychomotor functions, 535–40
sex-role orientation
sociopsychological factors, 443–9
youth
problem drinking, 541–50
Iowa Marketing Research (IMR)/Opinion Research, 207
Irish
youth
drinking style, 558–62
expectancies/alcohol response, 558–62
Italian Americans
risk/liver cirrhosis death
dichotomous response relations, 450–5

Jellinek, E. M., 153, 154
Journal of Studies on Alcohol, 392*

Karolinska Scales of Personality
alcoholism typology, 524–7
Kidney dysfunction
alcoholism, 390*
Kurland adjustment scales, 119

Laws/drinking-driving
public awareness campaign
Great Britain, 476–82
Laws/liquor control
availability/alcoholic beverages
accidents/traffic, 52–60
drinking patterns, 371–9
drinking-related problems, 124–35
prevention of problem drinking, 124–35

Learning (*see also* Cognitive functions)
alcohol, 393-4*
alcoholics, 189-92
children of alcoholics, 90*, 189-92
Ledermann's single distribution theory, 515, 520-1
dichotomous response model, 450-5
Life events
intoxication/alcohol
sex-role orientation, 443-9
Life Situations Checklist, 346
Lifestyle
drinking-driving, 146-52
Likert Scale, 111
Liquor-by-the-drink, *see* Availability/alcoholic beverages
Lithium therapy
alcoholism, 360-2
intoxication/alcohol, 357
Logotherapy, alcoholism, 597*
Loss of control, 73, 80-1, 85
alcoholics
cognitive impairment, 310-11, 316-7
Luteinizing hormone/blood
alcohol
naloxone, 287-94
Lydia Pinkham, 595*

MacAndrew Scale
identification of alcoholics, 202-6
Magnesium therapy
alcohol withdrawal, 358
Marihuana use
alcoholics
arrestees/drinking-driving, 593
chemical dependence
women, 575-7
Marital functioning
conjoint therapy/alcoholism
dropouts, 231-3
Marital Interaction Coding System, 231
Marital status (*see also* Divorce; Marital status of alcoholics)
chemical dependence
nurses, 565-7
women, 575
drinker categories
changing trends, 517, 519-21
drinking establishment patrons, 255-8
intoxication/alcohol
sex-role orientation, 443-9
Marital status of alcoholics (*see also* Divorce)
arrestees/drinking-driving, 592
conjoint therapy
dropouts, 231-3
drinker categories, 114-7
familial alcoholism, 138
moderate drinking by alcoholics, 97-102
women
age, 575
ethnicity, 222-7
Marital therapy
alcoholics
criminals, 392-3*
alcoholism, 597*

Mass media (*see also* Advertising exposure; Television programming)
drinking-driving
deterrence campaign, 476-82
Matching Familiar Figures Test, 426-7
Maternal drinking
birth defects
neonates, 180-1*
cross-cultural study, 560-2
drinking
pregnancy, 306-9
Meaning of Addiction, 84
Memory (*see also* Cognitive functions; Learning)
alcohol, 393-4*
5-hydroxytryptamine, 537-9
alcoholics, 189-92
antisocial personality, 313-7
children of alcoholics, 189-92
social drinkers
abstinence, 237-41
Menstrual cycle (*see also* Postmenopause)
alcohol metabolism, 382-6
repeatability, 440
Mental concentration (*see also* Cognitive functions)
alcoholics, 189-92
children of alcoholics, 189-92
Mental functions, *see* Cognitive functions
Mental retardation
familial alcoholism, 139
Mexicans
risk/liver cirrhosis death
dichotomous response relations, 450-5
Michigan Alcoholism Screening Test, 230, 313, 462
drinking drivers
identification of problem drinkers, 492-501
Million Clinical Multiaxial Inventory, Dysthymic Scale
alcoholics, 176-8
Minnesota Model, alcoholism treatment, 592
Minnesota Multiphasic Personality Inventory
scales, 570
depression, 176-8
Mirror Tracing Test, 426-7
Moderate drinking/alcoholics, *see* Controlled drinking/alcoholics
Morphine
alcohol
cross-tolerance, 507-10
Mortimer-Filkins Questionnaire
drinking drivers
identification of problem drinkers, 492-501
Mothers Against Drunk Drivers, 80
Motivation/alcoholism treatment, 233-4
Motivation/drinking (*see also* Expectancies/alcohol response)
arrestees/drinking-driving
alcoholics, 593
drinker categories, 112-7, 321, 323
drinking context, setting
students/high-school, 551-7
drinking establishments, 255-8
expectancies/alcohol response, 461-6
problem drinkers, 461-6
youth
problem drinking, 541-50
Motor coordination (*see also* Pyschomotor functions)
tolerance/alcohol
repeatability, 440-1

Multiple Affect Adjective Checklist, 536

Naloxone
  alcohol
    hormones/gonadal, 287-94
Naloxone therapy
  intoxication/alcohol, 356-7
Narcotics use, *see* Drug use
National Academy of Sciences, 584
National Association of Alcohol and Drug Abuse Directors, 583
National Council on Alcoholism, 153, 160
National Hospital Discharge Survey, 580
National Institute on Alcohol Abuse and Alcoholism, 391*, 451, 456, 511*
  alcoholism treatment, 584
National Institute on Drug Abuse, 584
National Institute of Mental Health Diagnostic Interview Schedule, 338
Necker Cube reversal
  alcoholics
    antisocial personality, 313-7
Neonates
  birth defects
    maternal drinking, 180-1*
Neural transmission
  alcohol, 393-4
  alcoholics, 9-10
Neurobiology
  alcoholism, 393-4*
Neurons
  carbohydrates
    alcohol, 90
Neuropsychological deficits, *see* Cognitive impairment
Neurotransmitters
  alcohol, 90*, 393-4*
New Zealand
  drinker categories
    psychological factors, 109-18
Night blindness
  alcohol, 393-4*
Nitrefazole therapy
  alcoholism, 365-6
Nonbeverage alcohol use
  alcoholics
    accidents/traffic, 587
    American Indians, 388-9
North Carolina
  availability/alcoholic beverages
    accidents/traffic, 52-60
  laws/liquor control
    drinking patterns, 371-9
  prevention of problem drinking
    availability/alcoholic beverages, 124-35
    education/alcohol, alcoholism, 124-35
    prices/alcoholic beverages, 124-35
Nurses
  attitudes/alcoholism, 456-60
  attitudes/alcoholism treatment, 456-60
  chemical dependence
    sociodemographic characteristics, 563-8

Obstetrical complications
  drinking
    pregnancy, 306-9
Occupational alcoholism programs
  effectiveness
    attitudes of supervisors, 22-8
Occupational Prestige Scale, 323
Occupational status
  children of problem drinkers
    problem drinking, 266-7
  drinking establishment patrons, 255-8
Old age, *see* Aged
Oophorectomy
  alcoholization of animals
    estradiol/blood, 295-303
    uterus weight, 295-303
Operation Intercept, 63
Opioid peptides
  substance abuse
    coping behavior, 596-7*
Orientals
  prevalence of drinking
    students/high-school, 329-36
Ovarian function
  alcohol
    naloxone, 287-94
  alcoholization of animals
    oophorectomy, 295-303

Parental alcoholism, *see* Familial alcoholism; Paternal alcoholism
Parental drinking (*see also* Maternal drinking; Paternal drinking)
  drinker categories
    students/college, 321-2
  students/high-school
    drinking context, setting, 551-7
Parenthood status
  chemical dependence
    nurses, 565-7
Parents
  children
    substance abuse, 179*
Paternal alcoholism
  children's adjustment, 345-55
Paternal drinking
  cross-cultural studies, 560-2
  drinking
    pregnancy, 306-9
  intoxication/alcohol
    sex-role orientation, 443-9
Peer drinking (*see also* Peer influences)
  drinker categories
    students/college, 321-4
  self-reports/drinking
    youth, 167-75
  students/high-school
    drinking context, setting, 551-7
  youth
    sex differences, 170-1, 173-4
Peer influences
  smoking, 596-7
Perceived Harm Due to Alcohol Scale, 169
  youth/drinking
    peer drinking, 169-74
Perception
  tolerance/alcohol
    repeatability, 440-1

Personality (*see also* Antisocial personality; Personality of alcoholics)
expectancies/alcohol response
students/college, 272-6
Personality of alcoholics, 282*
alcoholism typology, 523-7
moderate drinking, 97-102
Personality disorders, *see* Anxiety; Depression; Guilt; Hyperkinesis; Impulsivity; Suspiciousness
Pharmacology
alcohol, 595-6*
drugs, 595-6*
Pioneers (Ireland), 561
Pituitary function
alcohol
naloxone, 290-2
Porteus Mazes, 426-7
Postmenopause
alcohol
estradiol/blood, 298-301
Predictors
alcoholism treatment outcome, 39-46
conjoint therapy, 229-35
Pregnancy
alcoholics
drinking, 90*
drinking, 595*
biobehavioral characteristics, 304-9
maternal drinking
birth defects, 180-1*
Premature births
drinking
pregnancy, 306-9
Present State Examination, 231
Prevalence of drinking
attitudes/high-school
minority groups, 329-35
sex differences, 331-5
Prevention of alcoholism (*see also* Education/alcohol, alcoholism; Prevention of problem drinking), 282*, 391-2*, 597*
Prevention of problem drinking, 90*, 282*
availability/alcoholic beverages, 124-35
education/alcohol, alcoholism, 124-35
prices/alcoholic beverages, 124-35
Prices/alcoholic beverages (*see also* Availability/alcoholic beverages; Purchases/alcoholic beverages; Sales/alcoholic beverages)
consumption/alcohol, alcoholic beverages, 124-30
deaths/liver cirrhosis
dichotomous response relations, 450-5
drinking-related problems, 124-35
prevention of problem drinking, 124-35
Problem drinkers
children of problem drinkers, 265-8
expectancies/alcohol response
alcohol dosage, 461-6
youth, 179*
cross-cultural study, 558-62
longitudinal study, 541-50
sex differences, 546-49
treatment, 179*
Problem drinking (*see also* Problem drinkers)
costs, 581
Problem Drinking Scale, 97
Progesterone/blood
alcohol
naloxone, 287-94
Prohibition, 61-8
Prolactin/blood
alcohol
naloxone, 287-94
Psychiatric Diagnostic Interview, 137
Psychiatric disorders (*see also* Affective disorders, Mental retardation; Personality disorders; Psychopathology; Schizophrenia)
alcoholics, 136-46
affective disorders/familial, 339-43
family of alcoholics, 136-46
Psychological factors
drinker categories, 109-18
Psychological theories
alcoholism, 394*
drinking, 394*
Psychomotor functions
alcohol
5-hydroxytryptamine, 537-9
social drinkers
familial problem drinking, 430-6
Psychopathology (*see also* Affective disorders; Personality disorders; Psychiatric disorders)
familial alcoholism, 141-4
Psychopharmacology
alcohol, 281-2*
Psychotherapy
alcoholics
criminals, 392-3*
Publicity
drinking-driving
deterrence campaign, 476-82
Purchases/alcoholic beverages (*see also* Availability/alcoholic beverages; Prices/alcoholic beverages; Sales/alcoholic beverages)
consumption/alcohol, alcoholic beverages
self-reports, 207-11
Pursuit-rotor performance
alcohol
5-hydroxytryptamine, 537-9

Quantity-Frequency Scale
youth/drinking
peer drinking, 169-74
Questionnaires (*see also* Surveys)
chemical dependence
nurses, 563-8
children of alcoholics
mental health problems, 529-34
consumption/alcohol, alcoholic beverages
validity, 104-8
youth/minority, 329-36
drinking drivers
identification of problem drinkers, 492-501
drinking style
youth, 558-62
expectancies/alcohol response
drinker categories, 469-74
validity, 483-91
youth, 558-62
familial alcoholism
mental health problems, 528-34

Questionnaires (*cont.*)
students/high-school
drinking context, setting, 551-7
validity research, 410-24
women alcoholics
treatment, 220-8
Quick Test, 426-7

Race (*see also* Blacks; Culture; Ethnicity)
alcoholics
familial alcoholism, 138
drinker categories
changing trends, 517
students/college, 320, 323
intoxication/alcohol
sex-role orientation, 443-9
prevalence of drinking
students/high-school, 329-36
risk/liver cirrhosis death
dichotomous response relations, 450-5
Rape
alcohol, 281-2*
Raven's Advanced Progressive Matrices Tests
drinking frequency, quantity
students/college, 502-6
Reaction time (*see also* Psychomotor functions)
alcohol
5-hydroxytryptamine, 537-9
tolerance/alcohol
repeatability, 440-1
Recidivism
arrestees/drinking-driving
alcoholics, 592
Referral/alcoholism treatment
dropouts, 232
sex differences
occupational alcoholism programs, 22-8
Refusers/alcoholism treatment
conjoint therapy, 229-35
Rehabilitation
criminals
alcoholics, 392-3*
Relapse (*see also* Relapsers), 597*
coping behavior, 596-7*
prevention, 282*
substance abuse, 595-6*
Relapsers
follow-up
drinking behavior, posttreatment, 39-46, 97-102, 121-3
treatment variables, 39-46
Religion, denominations
drinker categories
changing trends, 517, 519-21
drinking establishment patrons, 255-8
Religiosity
drinker categories
students/college, 323
drinking context, setting, 551-7
Renard Diagnostic Interview, 426
Research
alcoholism treatment outcome, 584-5
Residence (*see also* Residence of alcoholics)
chemical dependence
women, 575
Residence of alcoholics
arrestees/drinking-driving, 592
women
age, 575
Residential adjustment of alcoholics
follow-up, 120-3
Reviews
drug therapies
alcohol withdrawal, 357-9
alcoholism, 359-66
intoxication/alcohol, 356-7
falls
alcoholics, 212-9
drinking, 212-9
Risk
accidents/traffic
alcoholism severity, 589-90
alcoholism
children of alcoholics, 187-93
familial alcoholism, 528-9, 532-4
death/liver cirrhosis
dichotomous response relations, 450-5
problem drinking
children of problem drinkers, 265-8
Rod-and-Frame Test, 426-7

Sales/alcoholic beverages
consumption/alcohol, alcoholic beverages
self-reports, 207-11
deaths/liver cirrhosis
dichotomous response relations, 450-5
laws/liquor control, 371-9
Schizophrenia
familial alcoholism, 139
Seat belt use
drinking-driving, 149-50
Sedative use
alcoholics
arrestees/drinking-driving, 593
chemical dependence
women, 575-7
Self-awareness model
alcohol
self-disclosure, 402, 408
Self-concept (*see also* Self-esteem)
alcoholic beverage preference
expectancies/alcohol response, 243-51
drinker categories
students/college, 323
Self-disclosure
alcohol dosage
sex differences, 406-8
social interaction, 401-9
Self-Disclosure Sampling System, 403
Self-esteem (*see also* Self-concept)
children of alcoholics, 350-4
women alcoholics
ethnicity, 223-7
Self-Esteem Scale, 222
Self-reports
alcoholics
accidents/traffic, 586-90
drinking frequency, quantity, 100
consumption/alcohol, alcoholic beverages, 104-8

Self-reports (*cont.*)
consumption/alcohol, alcoholic beverages (*cont.*)
blood alcohol, 325-8
sales/alcoholic beverages, 207-11
sex differences, 326-8
drinking drivers
identification of problem drinkers, 492-501
drinking/youth
peer drinking, 167-75
problem drinking, 541-50
validation
research, 410-24
response bias, 417-21
Sensation seeking
alcoholism typology, 525-7
Sequential Matching Memory Task
alcoholics
antisocial personality, 313-7
Sex differences (*see also* Women; Women alcoholics)
alcohol dosage
self-disclosure, 406-8
alcohol metabolism, 380-7
repeatability, 439-41
attitudes/alcoholism, 155-6
attitudes/alcoholism treatment, 155-6, 158
chemical dependence
nurses, 565-7
drinker categories
changing trends, 517-21
expectancies/alcohol response, 469-74
students/college, 323-4
drinking context, setting
students/high-school, 551-7
drinking-driving, 148-50
drinking frequency, quantity
cognitive functions, 502-6
drinking style
youth, 558-62
expectancies/alcohol response
youth, 558-62
nurses
attitudes/alcoholism, 456-60
attitudes/alcoholism treatment, 456-60
prevalence of drinking
minority groups, 331-5
problem drinking
youth, 546-49
referral/alcoholism treatment, 22-8
self-reports
consumption/alcohol, alcoholic beverages, 326-8
youth drinking
drinking establishment patrons, 256-8
peer drinking, 170-1, 173-4
Sex Role Behavior Scale-2, 195
Sex-role functioning
alcoholism, 597*
chemical dependence
nurses, 565-7
Sex-role orientation
consumption alcohol, alcoholic beverages
students/college, 194-201
intoxication/alcohol
sociopsychological factors, 443-9
Sexual trauma
alcohol, 281-2*
Sexual trauma (*cont.*)
chemical dependence
nurses, 576-7
women, 576-7
Shipley Institute of Living Scale
drinking frequency, quantity
students/college, 502-6
social drinkers
abstinence, 236-42, 502-6
Sibling rank
chemical dependence
nurses, 565
Sixteen Personality Factor Questionnaire, 273
Sleep
alcohol, 393-4*
Smoking
alcohol metabolism, 382-6
coping behavior, 596-7*
drinker categories
students/college, 323
drinking-driving, 149-50
Social adjustment
alcoholics
moderate drinking, 97-102
Social behavior
expectancies/alcohol response
drinker categories, 467-75
Social change
chemical dependence
women, 576-8
Social class relations
intoxication/alcohol
sex-role orientation, 443-9
Social drinkers
abstinence
cognitive functions, 236-42, 502-6
alcohol dosage
self-disclosure, 401-9
drinking frequency, quantity
cognitive functions, 236-42
expectancies/alcohol response
alcohol dosage, 461-6
psychomotor functions, 434-5
familial problem drinking, 430-6
women
cognitive functions, 236-42
Social interaction
alcohol dosage
self-disclosure, 401-9
sex differences, 406-8
Social isolation
women alcoholics
ethnicity, 223-7
Social Isolation Scale, 222
Social learning theory
alcohol
self-disclosure, 401-2, 407-8
Social network
women alcoholics
ethnicity, 223-7
Social stability
alcoholics
drinking by alcoholics, 97-102
Social support
children of alcoholics, 349-54

Social support (*cont.*)
drinking-driving
intervention, 269-71
Socialization
Al-Anon
children of alcoholics, 31-2
alcoholism typology, 525-9
Sociocultural aspects
alcoholism, 511*
Sociocultural factors
drinking behavior, 67-71, 78-83, 84-9
Socioeconomic status
drinker categories, 114-7
students/college, 323
Solitary drinking
alcoholics
arrestees/drinking-driving, 593
chemical dependence
women, 575-6
drinker categories
self-reports, 112-7
Somatic disorders
drinking
pregnancy, 306-9
familial alcoholism, 139
Somatomedins
alcohol
fetus, 90*
Soviet Union
problem drinking, 511*
Spousal alcoholism
chemical dependence
nurses, 565-7
Status transformation
drinking context, setting
students/high-school, 551-7
Stress (*see also* Anxiety)
adjustment
children of alcoholics, 345-55
deaths/liver cirrhosis
dichotomous response relations, 450-5
drinking-driving, 149-50
substance abuse, 596-7*
Students/college (*see also* Students/high school)
abstinence, 320-4
cognitive functions, 502-6
consumption/alcohol, alcoholic beverages
sex-role orientation, 194-201
drinker categories
expectancies/alcohol response, 469-75
sociocultural factors, 319-24
drinking-driving
intervention, 269-71
drinking frequency, quantity
advertising exposure, 161-6
cognitive functions, 502-6
expectancies/alcohol response
personality, 272-6
self-concept, 243-51
familial alcoholism
drug use, 528-34
mental health problems, 528-34
Students/high-school
drinking context, setting
psychosocial factors, 551-7
sex differences, 551-7
Students/high-school (*cont.*)
drinking-related problems
minority groups, 331-5
drug use
minority groups, 331-5
prevalence of drinking
minority groups, 329-36
Subjective High Assessment Scale, 432
Substance abuse (*see also* Alcohol dependence; Alcoholism; Chemical dependence; Drug abuse; Problem drinking)
arrestees/drinking-driving
sociodemographic characteristics, 591-4
cognitive impairment, 315-7
coping behavior, 596-7*
culture, 595-6*
epidemiology, 595-6*
etiology, 595-6*
identification
scales, tests, inventories, 203-5
neuroendocrine aspects, 596-7*
pharmacology, 179-80*, 595-6*
treatment, 179*, 595-6*
youth, 179*
Substance use (*see also* Drug use)
coping behavior, 596-7*
Suicide attempts
alcoholics
affective disorders/familial, 339-43
children of alcoholics, 531
familial alcoholism, 531-2
Supervisory personnel
attitudes
referral/alcoholism treatment, 22-8
Surveys (*see also* Questionnaires)
drinker categories
changing trends, 515-22
drinking-driving
health lifestyle, 147-52
nurses
attitudes/alcoholism, 456-60
attitudes/alcoholism treatment, 456-60
patrons
drinking establishments, 252-9
Suspiciousness
alcoholism typology, 525-9
drinking frequency, quantity
advertising exposure, 161-6
Sweat Lodge, 511*
Sweden
moderate drinking by alcoholics
follow-up, 95-103
Symbol Digit Modalities Test, 426-7
Symbol Digit Paired Associate Learning Test, 426-7

Television programming (*see also* Advertising exposure; Mass media)
drinking scenes, 33-8
Temperance Movement, 66-9
Tennessee Self-Concept Scale, 345
Tests, scales, inventories
validity research, 410-24
Tolerance/alcohol, 73
drinking
pregnancy, 306-9

Tolerance/alcohol (*cont.*)
measurement
repeatability, 437–42
morphine, 507–10
Trail Making Test, 426–7
Tranquilizer use
chemical dependence
women, 575–7
Tryptophan
alcohol selection, 260–4
Tryptophan availability
intoxication/alcohol
memory, 535–40
psychomotor functions, 535–40
Tryptophan metabolism/brain
alcohol, 90*

Urbanness (*see also* Urban–rural differences)
intoxication/alcohol
sex-role orientation, 443–9
Urban–rural differences (*see also* Urbanness)
nurses
attitudes/alcoholism, 456–60
attitudes/alcoholism treatment, 456–60
Uterus weight
alcoholization of animals
oophorectomy, 295–303

Validity research
self-reports, 410–24
tests, scales, inventories, 410–24
Vermont
prevention of problem drinking
availability/alcoholic beverages, 124–35
education/alcohol, alcoholism, 124–35
prices/alcoholic beverages, 124–35
Violence (*see also* Aggression; Rape)
alcohol, 281–2*
alcoholics
accidents/traffic, 587–8
Visuomotor skills
alcoholics, 189–92
children of alcoholics, 189–92

Wales
drinking–driving
deterrence campaign, 476–82
Ways of Coping Checklist, 348
Wechsler Adult Intelligence Scale, 188–90
drinking frequency, quantity
students/college, 502–6
social drinkers
abstinence, 237–41
Wechsler Memory Test, 188–90
Wender's Behavior Checklist, 188
Wisconsin Card Sorting Test
alcoholics
antisocial personality, 313–7
drinking frequency, quantity
students/college, 502–6
Women (*see also* Sex differences; Women alcoholics)
drinking, 391–2*, 595*
Women (*cont.*)
drinking frequency, quantity
advertising exposure, 161–6
drinking-related problems, 595*
social drinking
cognitive functions, 236–42
Women alcoholics (*see also* Sex differences)
drinking–driving, 14–21
drinking-related problems, 223–7
ethnicity
Alcoholics Anonymous attendance, 223–4
demographic variables, 222–7
drug abuse, 222–7
self-esteem, 223–7
sociopsychological factors, 220–8
identification
scales, tests, inventories, 203–5
sociodemographic characteristics
age, 574–8
treatment, 595*
Wonderlic Personnel Test, 570
World Health Organization, 511*
World Health Organization, Technical Reports on alcohol and alcoholism, 153, 159

Youth (*see also* Children of alcoholics; Students/high-school)
drinking, 391–2*
culture, 511*
drinking context, setting, 551–7
drinking style, 558–62
drug abuse, 179*
treatment, 179*
expectancies/alcohol response, 558–62
questionnaire validity, 483–91
problem drinking, 179*
longitudinal study, 541–50
sex differences, 546–9
self-reports/drinking
peer drinking, 167–75
substance use, 596–7*

Zimelidine therapy
alcoholism, 362
intoxication/alcohol, 357